

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	englehart-matthew\$.in. and @pd>"20060822"	US-PGPUB; USPAT	OR	ON	2007/01/19 08:45
L2	1	ciolfi-john\$.in. and @pd>"20060822"	US-PGPUB; USPAT	OR	ON	2007/01/19 08:46
L3	19	mathworks\$.as. and @pd>"20060822"	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:47
L4	331	((execution near rate) or (multi near rate)) and @pd>"20060822"	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:50
L5	201	I4 and (block near diagram)	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:50
L6	39	I5 and simulat\$3	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:50
L7	31	I6 and model\$4	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:53
L8	65	I4 and simulat\$3	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:54
L9	52	I8 and model\$4	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:54
L10	320	((multirate or multi\$rate) or mixed\$rate or (rate near based near execution)) and @pd>"20060822"	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:56
L11	4	I10 and (code near (group or cluster))	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:56
L12	2967	((block near diagram) and simulat\$3 and model\$4) and @pd>"20060822"	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:57
L13	0	I12 and (different near (execution near rate))	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:58
L14	0	I12 and (different near (execution adj rate))	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:58
L15	6	I12 and (execution adj rate)	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:58

## EAST Search History

L16	162	703/13 and @pd>"20060822"	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:59
S1	4	englehart-matthew\$.in.	US-PGPUB; USPAT	OR	ON	2007/01/19 08:45
S2	7	ciolfi-john\$.in.	US-PGPUB; USPAT	OR	ON	2007/01/19 08:46
S3	40	mathworks\$.as.	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:47
S4	11	S3 and ((execution near rate) or (multi near rate))	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:49
S6	1672	703/6,13.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:59
S13	2585	S12 and (block near diagram)	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:57
S33	4136	(multirate or multi\$rate) or mixed\$rate or (rate near based near execution)	US-PGPUB; USPAT; EPO	OR	ON	2007/01/19 08:55



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(multi?rate &lt;and&gt; simulat??? &lt;and&gt; 'block diagram') &lt;in&gt; pdfdata"

Your search matched 1 of 1472243 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [printer friendly](#)

## » Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard


[Select All](#) [Deselect All](#)

- ☐ 1. IEEE standard serial highway interface system (CAMAC)  
[ANSI/IEEE Std 595-1982](#)  
26 Feb. 1982  
[AbstractPlus](#) | Full Text: [PDF](#)(1144 KB) IEEE STD

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by





Welcome United States Patent and Trademark Office

☐ Search Results

## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

## SUPPORT

Results for "(multi?rate &lt;and&gt; simulat???) &lt;in&gt; pdfdata"

Your search matched 4 of 1472243 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

(multi?rate &lt;and&gt; simulat???) &lt;in&gt; pdfdata

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard




- ☐ 1. Microcomputer systems for chemical process control  
Donaghey, L.F.;  
[Proceedings of the IEEE](#)  
Volume 64, Issue 6, June 1976 Page(s):975 - 987  
[AbstractPlus](#) | Full Text: [PDF\(5182 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. Residue feedback in digital filters using fractional feedback coefficients  
Williamson, D.; Sridharan, S.;  
[Acoustics, Speech, and Signal Processing \[see also IEEE Transactions on Signal Processing\]](#),  
[IEEE Transactions on](#)  
Volume 33, Issue 2, Apr 1985 Page(s):477 - 483  
[AbstractPlus](#) | Full Text: [PDF\(800 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. IEEE standard serial highway interface system (CAMAC)  
[ANSI/IEEE Std 595-1982](#)  
26 Feb. 1982  
[AbstractPlus](#) | Full Text: [PDF\(1144 KB\)](#) IEEE STD
- ☐ 4. IEEE standard for futurebus+ - physical layer and profile specification  
[IEEE Std 896.2-1991](#)  
24 April 1992  
[AbstractPlus](#) | Full Text: [PDF\(11324 KB\)](#) IEEE STD

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE - All Rights Reserved

 Indexed by  
 Inspec



Welcome United States Patent and Trademark Office

☐ Search Results

## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

## SUPPORT

Results for "'((different &lt;near/2&gt; 'execution rates') &lt;and&gt; simulat???) &lt;in&gt; pdfdata'"

Your search matched 7 of 1472243 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. **Program implementation schemes for hardware-software systems**  
 Gupta, R.K.; Claudionor, N.C., Jr.; De Micheli, G.;  
[Computer](#)  
 Volume 27, Issue 1, Jan. 1994 Page(s):48 - 55  
 Digital Object Identifier 10.1109/2.248880  
[AbstractPlus](#) | Full Text: [PDF\(1188 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **Schedule-aware performance estimation of communication architecture for efficient design space exploration**  
 Sungchan Kim; Chaeseok Im; Soonhoi Ha;  
[Very Large Scale Integration \(VLSI\) Systems, IEEE Transactions on](#)  
 Volume 13, Issue 5, May 2005 Page(s):539 - 552  
 Digital Object Identifier 10.1109/TVLSI.2004.842912  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1248 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. **Bandwidth Management for Distributed Control of Highly Articulated Robots**  
 Velasco, M.; Marti, P.; Frigola, M.;  
[Robotics and Automation, 2005. ICRA 2005. Proceedings of the 2005 IEEE International Conference on](#)  
 18-22 April 2005 Page(s):265 - 270  
[AbstractPlus](#) | Full Text: [PDF\(168 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **Considering all starting points for simultaneous multithreading simulation**  
 Van Biesbrouck, M.; Eeckhout, L.; Calder, B.;  
[Performance Analysis of Systems and Software, 2006 IEEE International Symposium on](#)  
 19-21 March 2006 Page(s):143 - 153  
 Digital Object Identifier 10.1109/ISPASS.2006.1620799  
[AbstractPlus](#) | Full Text: [PDF\(552 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. **Behavioral specification of control interface for signal processing applications**  
 Lemaitre, J.; Alliot, S.; Deprettere, E.;  
[Application-Specific Systems, Architecture Processors, 2005. ASAP 2005. 16th IEEE International Conference on](#)  
 23-25 July 2005 Page(s):43 - 49  
 Digital Object Identifier 10.1109/ASAP.2005.21  
[AbstractPlus](#) | Full Text: [PDF\(240 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

6. **Understanding the Energy Efficiency of Simultaneous Multithreading**  
Yingmin Li; Brooks, D.; Zhigang Hu; Skadron, K.; Bose, P.;  
Low Power Electronics and Design, 2004. ISLPED '04. Proceedings of the 2004 International Symposium on  
2004 Page(s):44 - 49  
[AbstractPlus](#) | Full Text: [PDF\(256 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
7. **Profiling of SIGNAL programs and its application in the timing evaluation of design implementations**  
Kountouris, A.A.; Le Guernic, P.;  
Hardware-Software Cosynthesis for Reconfigurable Systems (Digest No: 1996/036). IEE Colloquium on  
22 Feb. 1996 Page(s):6/1 - 6/9  
[AbstractPlus](#) | Full Text: [PDF\(748 KB\)](#) IEE CNF

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by  
 Inspec



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((different &lt;near/2&gt; 'execution rate?') &lt;and&gt; simulat???) &lt;in&gt; pdfdata"

Your search matched 1 of 1472243 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [printer friendly](#)

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐
1. Optimizing the Multitask Implementation of Multirate Simulink Models  
Di Natale, M.;  
Real-Time and Embedded Technology and Applications Symposium, 2006. Proceedings of the 12th IEEE  
04-07 April 2006 Page(s):335 - 346  
Digital Object Identifier 10.1109/RTAS.2006.33  
[AbstractPlus](#) | Full Text: [PDF\(448 KB\)](#) IEEE CNF  
[Rights and Permissions](#)